

TECHNICAL DATA SHEET

ALGAE AND MOSS REMOVER DM

Version 1.2
of 16.05.2018

This version replaces all previous ones.



ProtecD DM is a mineral surface cleaner.

It removes mosses, lichens, algae and black mold marks. It is best to use a pressure washer. With ProtecD, the dirt is removed as quickly as possible.

ProtecD DM is an aqueous mixture containing sodium dioxides.

He uses water as a conductor and diffuses by capillary action deep into the carrier. Once it has penetrated the mineral, it will permanently destroy the plant matter.

APPLICATIONS:

- Natural stones and artificial stones
- Concrete and mortar, plaster and facade plasters
- Terracotta, tiles, slate, fiber cement

HORIZONTAL - VERTICAL/OUTSIDE – INSIDE

After cleaning, it is recommended to treat the treated surfaces with Mineralizer **F2 PREMIUM** or **TF PREMIUM**.

CHARACTERISTICS:

- Strongly penetrates into the underground
- Product in aqueous phase, non-flammable.
- Contains no solvents, is without V. O. C. (volatile organic compounds) and, in accordance with Council Directive 1999/13 / EC, an organic product.
- Does not change the appearance or texture of the substrate.

TECHNICAL SPECIFICATIONS :

Color:	none
Odor:	none
Solubility in water [vol/vol]:	fully
Physical state at 19 °C :	liquid
pH Value :	12± 0,5
Boiling point [°C]:	100 °C
Density:	1,10 Kg/l

PACKAGING UNITS:

Containers with: 5 l



IMPLEMENTATION:

ProtecD DM is ready to use. Do not dilute!

Shake the container before use.

Plants, metals and glass surfaces must be protected before use.

Tools for application: brush or low pressure syringe.

The substrate must be well saturated with ProtecD. One-time application is sufficient.

For a fast effect leave it to work for 30 minutes and then clean with a high-pressure cleaner.

CONSUMPTION:

The following values serve as a guide:

Application: depending on the substrate between 5 m² and 10 m² per liter.

CLEANING THE EQUIPMENT:

Clean used tools and equipment with water immediately after use.

STORAGE:

Store in a cool, dry place at a temperature of over 5 °C. Close the container tightly after use.

USE RESTRICTIONS:

- Do not use on materials that are coated synthetically or with paints.
- Do not spray on plants and organic materials..
- Do not spray on metals..

RECOMMENDATIONS:

Preferably work with gloves and glasses.

Protect varnished surfaces, glass surfaces, metal parts and plants.

In case of an accidental spraying wash off immediately with water.

Do not use in wet or very hot weather..

Do not dilute or mix with another product.

SAFETY:

Respiratory protection:

No action required

Hand protection:

Wear gloves

Skin protection:

Wear protective suits

Eye protection:

Wear protective glasses, in case of accidental spraying into the eye rinse thoroughly with water. You can remove the contact lenses beforehand if possible.

If swallowed:

Consult a doctor or a specialist, show the label of the pack

Dangerous product, risk of burns if there is contact with skin, eyes or mucous membranes

KEEP OUT OF REACH OF CHILDREN

For technical questions:

contact@protecd.com

www.protecd.com